

御 仕 様 書

HDX-4200

HDX-5500

HDX-6500

PROTECH[®]

Specifications 仕様

MODEL	HDX-4200	HDX-5500	HDX-6500
Size	42"	55"	65"
Resolution	3840x2160		
Color Depth	10bits		
Backlight	LED		
Viewing Angle	178°×178°		
Brightness	350cd/m ²	400cd/m ²	450cd/m ²
Input Terminals 入 力			
3G/HD/SD-SDI	BNC (×4)		
DVI-D	DVI-Dx4 (compatible with HDMI, support HDCP)		
Audio	2ch stereo RCA (×2)		

Signal Format 入力信号フォーマット

Input Signal	SDI	VBS/YC	YPbPr	HDMI
PAL		○		
NTSC		○		
480/59.94i,60i	○		○	○
576/50i	○		○	○
480/59.94p,60p			○	○
576/50p			○	○
720/23.98p,24p	○		○	○
720/25p	○		○	○
720/29.97p,30p	○		○	○
720/50p	○		○	○
720/59.94p,60p	○		○	○
1080/23.98PsF,24Ps	○		○	○
1035/59.94i,60i	○		○	○
1080/50i	○		○	○
1080/59.94i,60i	○		○	○
1080/23.98p,24p	○		○	○
1080/25p	○		○	○
1080/29.97p,30p	○		○	○
1080/50p	○		○	○
1080/59.94,60p	○		○	○

Input Signal	DVI-D
640×480(60Hz)	○
800×600(60Hz)	○
1024×768(60Hz)	○
1280×1024(60Hz)	○
1440×900(60Hz)	○
1400×1050(60Hz)	○
1600×1200(60Hz)	○
1680×1050(60Hz)	○
1920×1080(60Hz)	○
1920×1200(60Hz)	○

注意 デザイン・仕様は、予告なく変更することがあります。

外形寸法図

Dimensions 外形寸法図

